

Listing of Claims:

This listing of claims reflects all claim amendments and replaces all prior versions, and listings, of claims in the application. Material to be inserted is in **bold and underline**, and material to be deleted is in ~~strikeout~~ and (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[]].

In brief, claim 14 has been amended to correct a typographical error.

1. (Previously Presented) A set for bone fixation, comprising:
at least two bone plates, each bone plate being configured to be secured to a left half or a right half of a skeleton and including a distinct color that indicates the left half or the right half to which the bone plate is configured to be secured.
2. (Canceled)
3. (Previously Presented) The set of claim 1, further comprising at least one other bone plate configured for use on each of the left half and the right half of a skeleton, the at least one other bone plate including a color that is distinct from the distinct colors of the at least two bone plates.
4. (Previously Presented) The set of claim 1, wherein the distinct color also indicates a particular bone region within one of the left half and the right half of the skeleton.
- 5-8. (Canceled)
9. (Previously Presented) The set of claim 1, wherein each bone plate is configured to be secured to a distal region of a humerus bone or a proximal region of an ulna bone.

10. (Original) The set of claim 1, wherein at least one of the bone plates includes at least one prong configured to engage bone when the bone plate is secured to bone.

11. (Original) The set of claim 1, wherein at least one of the bone plates has a first portion configured to be secured adjacent an end of a long bone and a second portion configured to be secured toward or on a shaft of the long bone, and wherein the first portion of the bone plate is thinner on average than the second portion of the bone plate.

12. (Previously Presented) The set of claim 1, wherein at least one of the bone plates includes a curved bone-facing surface configured to match the curved contour of a distinct bone region to which the at least bone plate is configured to be secured.

13. (Previously Presented) The set of claim 1, further comprising instructions that relate each bone plate to the left half or the right half to which the bone plate is configured to be secured.

14. (Currently Amended) A method of bone fixation, comprising:
selecting a [[a]] left half or a right half of a skeleton for fixation;
selecting one of the at least two bone plates of claim 1 having a distinct color that corresponds to the selected left or right half; and
securing the one bone plate to the selected left or right half.

15-30. (Canceled)

31. (Previously Presented) The set of claim 1, wherein the at least two bone plates include a pair of bone plates configured to be secured to corresponding bones in the left half and the right half.

32. (Previously Presented) The set of claim 1, wherein the at least two bone plates include a pair of bone plates configured to be secured to noncorresponding bones of the left half and the right half.

33. (Previously Presented) The set of claim 1, wherein the distinct color for the left half is blue, and wherein the distinct color for the right half is green.